

From: [Moore, Gary](#)
To: [Evan Wortman](#)
Cc: ["Don Edgington"](#); [Delgado, Paige](#); ["Gavlas, Sean"](#)
Subject: F.J. Doyle - Building (Urgent)
Date: Thursday, September 27, 2018 2:18:01 PM

Evan:

I talked with our TSCA PCB person, Jim Sales, about the building at it appears that it will not be easy to be able to recycle the metal associated with the building demo. First of all, we will probably not find a metal recycler that would be CERCLA approved. Secondly, it appears that we could dispose of the metal and wood at a non-TSCA landfill if the wipe samples of the metal are less than 100 ug/100 cm² total PCBs and the wood is less than 50 mg/kg total PCBs. Otherwise, we can just send the material to a TSCA landfill that can accept construction debris but I am not sure what profile sample they would need.

I need you guys to determine the most cost effective way to do this. I guess the wipe samples and wood sample would be no different than our profile samples (a little different with the wipe). Please research this for me and confirm what we need to do exactly to dispose. Do you guys have someone that is well versed in the TSCA PCB regulations.

Thanks

Gary W. Moore (6SF-ER)
Federal On-Scene Coordinator
U.S EPA Region 6
1445 Ross Ave, Suite 1200
Dallas, TX 75202-2733
Cell: 214.789.1627
moore.gary@epa.gov